



assiourasbros
advanced wood technology



POST BASES CATALOGUE

CONTENTS

- P. 1 PLUG IN SYSTEM Z
- P. 2 PLUG IN SYSTEM Z - HEAVY DUTY
- P. 3 POST BASE SYSTEM 10930
- P. 4 POST BASE SYSTEM 10930 - HEAVY DUTY
- P. 5 POST BASES RIGHT/LEFT THREADED



PLUG IN SYSTEM Z

TYPE	UPPER PLATE	LOWER PLATE	THREAD M24 LOW	BAREHOLD TOP Ø 10,5MM	BAREHOLD BOTTOM Ø 10,5MM	ADJUSTMENT RANGE MM	LOAD CAPACITY
10529. 1690	Ø 96 X 8MM	160 X 100 X 8MM	55	4	4	99-119MM	-
10529. 1090	Ø 96 X 8MM	161 X 100 X 8MM	90	4	4	141-201MM	14.275KG
10529. 1990	Ø 96 X 8MM	162 X 100 X 8MM	150	4	4	203-318MM	14.275KG
10529. 1490	Ø 96 X 8MM	163 X 100 X 8MM	250	4	4	303-418MM	-



10529. 1690



10529. 1090



10529. 1990



10529. 1490

PLUG IN SYSTEM Z - HEAVY DUTY

TYPE	UPPER PLATE	LOWER PLATE	THREAD M30 LOW	BAREHOLD TOP Ø 10,5MM	BAREHOLD BOTTOM Ø 10,5MM	ADJUSTMENT RANGE MM	LOAD CAPACITY
10529. 1093	Ø 120 X 12MM	140 X 140 X 12MM	90	4	4	149-209MM	23.045KG
10529. 1193	Ø 96 X 8MM	161 X 100 X 8MM	150	4	4	209-269MM	23.045KG
10529. 1993	Ø 96 X 8MM	162 X 100 X 8MM	150	4	4	215-325MM	23.045KG




10529. 1093



10529. 1193



10529. 1993



POST BASE SYSTEM 10930

TYPE	UPPER PLATE	LOWER PLATE	THREAD M24 UPPER	BOREHOLD TOP ø 12MM	BOREHOLD BOTTOM ø 13MM	MANDREL TUBE ø 42.4MM	THREAD M24 LOW	ADJUSTMENT RANGE MM	LOAD CAPACITY
10930. 1000	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	130	65	170-285	11.216KG
10930. 1100	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	130	90	195-310	11.216KG
10930. 1200	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	130	150	255-370	11.216KG
10930. 1300	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	130	200	305-420	11.216KG
10930. 1600	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	130	35	110-200	11.216KG
10930. 1005	ø 100 X 8MM	160 X 100 X 8MM	150	4	4	70	65	170-285	11.216KG
			THREAD M20 UPPER				THREAD M20 LOW		
10930. 1082	ø 80 X 6MM	161 X 100 X 6MM	150	4	4	130	55	150-250	11.216KG



10930. 1000



10930. 1100



10930. 1200



10930. 1300



10930. 1600



10930. 1005



10930. 1082

POST BASE SYSTEM 10930 - HEAVY DUTY

TYPE	UPPER PLATE	LOWER PLATE	THREAD M30 UPPER	BOREHOLD TOP ø 12MM	BOREHOLD BOTTOM ø 13MM	MANDREL TUBE ø 42.4MM	THREAD M30 LOW	ADJUSTMENT RANGE MM	LOAD CAPACITY
10930. 1003	ø 100 X 10MM	160 X 100 X 10MM	150	4	4	130	65	195-285MM	12.827KG
10930. 1006	100 X 100 X 15MM	160 X 100 X 15MM	150	4	4	130	65	205-300MM	17.192KG
10930. 1106	100 X 100 X 15MM	160 X 100 X 15MM	150	4	4	130	65	230-325MM	17.192KG
10930. 1206	100 X 100 X 15MM	160 X 100 X 15MM	150	4	4	130	65	290-385MM	17.192KG
10930. 1306	100 X 100 X 15MM	160 X 100 X 15MM	150	4	4	130	65	340-435MM	17.192KG



10930. 1003



10930. 1006



10930. 1106



10930. 1206



10930. 1306

POST BASES RIGHT/LEFT THREADED

TYPE	UPPER PLATE	LOWER PLATE	THREAD M20 UPPER	BOREHOLD TOP ø 12MM	BOREHOLD BOTTOM ø 13MM	ADJUSTMENT RANGE MM	THREAD M20 LOW	LOAD CAPACITY
109.800.080	80 X 80 X 5MM	100 X 100 X 6MM	55	4	4	121-181	55	3.477KG
109.000.000	100 X 100 X 6MM	100 X 100 X 6MM	55	4	4	122-182	55	5.506KG
			THREAD M24 UPPER	4	4		THREAD M24 LOW	
109.201.000	100 X 100 X 6MM	160 X 100 X 6MM	65	4	4	142-207	65	12.236KG
109.201.100	100 X 100 X 6MM	160 X 100 X 6MM	90	4	4	167-232	65	12.236KG
109.201.200	100 X 100 X 6MM	160 X 100 X 6MM	150	4	4	227-292	65	12.236KG
109.201.300	100 X 100 X 6MM	160 X 100 X 6MM	200			277-342	65	12.236KG
109.201.400	100 X 100 X 6MM	160 X 100 X 6MM	250	4	4	327-392	65	12.236KG
109.201.600	100 X 100 X 6MM	160 X 100 X 6MM	35	4	4	82-82	35	7.035KG



109.80.080



109.000.000



109.201.000



109.201.100



109.201.200



109.201.300



109.201.400



109.201.600



assiourasbros
advanced wood technology

SHOWROOM

19,5 Klm Marathonos Av.
153 51 Pallini
Athens - Greece
T +30 210 6139 821

WAREHOUSE

3, Diovounioti Str.
153 51 Pallini
Athens - Greece
T +30 210 6039 845

info@assiourasbros.gr
www.assiourasbros.gr