



assiourasbros
advanced wood technology



Pedestal Catalogue



	3 PRODUCTS H 10 + 25 MM		FOR TILE FLOORS & DECKING
	CAPACITY UP TO 400 KG/PC		MINIMUM HEIGHT

CODE	H Min-Max mm
PU1	10+15
PU2	10+20
PU3	10+25

PrimeUP consists of a base with a 150 mm diameter featuring a tab fitted with the adjustment mechanism head. By holding the tab still and rotating the upper part, with the use of special teeth, one can adjust the height of the support between 10 and 15 mm.


The upper part of PrimeUP is coupled to a headpiece, which can be selected from those in the extensive Impertek range for Mart series supports, with specially designed tabs for wooden decking flooring, stone tiles and ceramic tiles.

The headpiece is equipped with a coupling to ensure constant adjustment even with part of the flooring already laid. Also, below the support base, up to two extensions measuring 5 mm each can be added, thus increasing the height up to a total of 25 mm. In conjunction with the extensions, it is possible to use EasyFlat, the Impertek slope correctors, which correct slopes up to 10%.



HEADPIECE FOR TILE




HEADPIECE FOR DECK



RELATED PRODUCTS

	Slope corrector
	Anti-shock leveller
	Easy Key adjustment key





assiourasbros
advanced wood technology

SHOWROOM

19,5 Klm Marathonos Av.
153 51 Pallini
Athens - Greece
T +30 210 6139 821

WAREHOUSE

3, Diovounioti Str.
153 51 Pallini
Athens - Greece
T +30 210 6039 845

info@assiourasbros.gr
www.assiourasbros.gr